


Combined bar light (MLB series)

LS-MLB series · Bar lights · 7 models



Combined bar light (four bar lights on a square frame) for large-size product defect detection, character recognition, positioning and identification. The angle can be customized and each bar light can be controlled independently.

Features

- Can be customized angle.
- Control each bar light independently.

Applications

- Large size product defect detection
- Character recognition
- Positioning
- Identification


Common specifications

Voltage (V)	24
Colours	Red, Green, Blue, White
LED colour options (legend)	R / G / B / W / IR / UV
Colours shown per model	R, G, B, W

Models

Model	Power R (W)	Power G/B/W (W)	Outer size L x W x H (mm)
LS-MLB-40X40 colours: Red, Green, Blue, White	4	6	102x102x43
LS-MLB-80X80 colours: Red, Green, Blue, White	10	12	141x141x43
LS-MLB-119X119 colours: Red, Green, Blue, White	16	22	180x180x43
LS-MLB-98X98 colours: Red, Green, Blue, White	12	16	185.5x185.5x42
LS-MLB-218X218 colours: Red, Green, Blue, White	30	52	305.5x305.5x43
LS-MLB-290X290 colours: Red, Green, Blue, White	60	72	377.5x377.5x43
LS-MLB-386X386 colours: Red, Green, Blue, White	72	96	473.5x473.5x43

Dimensions



Performance

