

Collimated back light (3PFT)

LS-3PFT series · Backlights · 9 models

Special parallel film design, simple structure, high effect. Compact design, high efficiently use the eco-friendly material. Import ultrathin paste LED used, high luminance, high uniformity.

Features

- Special parallel film design, simple structure, high effect
- Compact design, high efficiently use the eco-friendly material
- Import ultrathin paste LED used, high luminance, high uniformity
- Shell processed by high precision mould, shorten the difference between different batch



Applications

- Metal column contour measure
- Glass bottle diameter measure
- Ceramics column diameter measure
- Screw thread contour measure


Common specifications

Note	UV & IR light can be customized as required.
Voltage	24V

Models


Model	Model as printed	Dimension	Power
LS-3PFT5050 colours: R, B, G, W	LS-3PFT5050-R/BGW	L67xW67xH25(mm)	2.9W/3.6W
LS-3PFT6060 colours: R, B, G, W	LS-3PFT6060-R/BGW	L77xW77xH25(mm)	4.4W/5.4W
LS-3PFT7070 colours: R, B, G, W	LS-3PFT7070-R/BGW	L87xW87xH25(mm)	5.8W/6.5W
LS-3PFT8080 colours: R, B, G, W	LS-3PFT8080-R/BGW	L97xW97xH25(mm)	6.5W/8.7W
LS-3PFT100100 colours: R, B, G, W	LS-3PFT100100-R/BGW	L117xW117xH25(mm)	11.6W/14.4W
LS-3PFT110110 colours: R, B, G, W	LS-3PFT110110-R/BGW	L127xW127xH25(mm)	13.0W/16.2W
LS-3PFT120120 colours: R, B, G, W	LS-3PFT120120-R/BGW	L137xW137xH25(mm)	13.0W/16.2W
LS-3PFT130130 colours: R, B, G, W	LS-3PFT130130-R/BGW	L147xW147xH25(mm)	15.9W/19.8W
LS-3PFT150150 colours: R, B, G, W	LS-3PFT150150-R/BGW	L167xW167xH25(mm)	17.3W/28.1W

Dimensions



LS-3PFT110110


		产品型号	LS-3PFT110110
		LED发光色	R(红)/W(白)
单位	mm (毫米)	输入电压	DC 24V(max)
比例	1:1	消耗功率	/
版本	NO 1.0	电缆极性	1:+、2:NC、3:-




Copyright 2011~2022 LOTS. All rights reserved. Reproduction or photocopy without permission is prohibited.

LS-3PFT5050

		产品型号	LS-3PFT5050
		LED发光色	R(红)/W(白)
单位	mm (毫米)	输入电压	DC 24V (max)
比例	1:1	消耗功率	/
版本	NO 1.1	电缆极性	1:+, 2:NC, 3:-
			



Copyright 2011~2022 LOTS. All rights reserved. Reproduction or photocopy without permission is prohibited.



Performance

