

AOI light

LS-AOI-H series · Custom lights · 6 models

AOI light consists of uniformly distributed LED light-emitting units. Support custom lighting color, shape size and installation mode, etc.

Features

- Maximum luminescence outer diameter:120mm.
- Brightness level 255, connected to the controller can be adjusted.
- Life span:50000 hours for red light and 30000 hours for white light.
- Suitable for circuit board solder detection, multi-level object detection, multi-color character detection, etc.








Models


Model	luminescence outer diameter(Error ±5mm)	Power(W) Red	Power(W) Blue	Power(W) Green	Power(W) White	Weight(g)	Category
LS-AOI-120	120mm	3	8	7	—	≈600	AOI light
LS-AOI-134	134mm	4	9	6	—	≈700	AOI light
LS-AOI-150	150mm	4	12	9	—	≈750	AOI light
LS-AOI-180	180mm	6	16	11	—	≈1000	AOI light
LS-AOI-211	211mm	8	11	13	11	≈1250	AOI light
LS-AOI-250	250mm	10	16	16	16	≈1700	-

More values per model (Voltage(V), LED Type, Emitting Color, Wavelength, Color-temperature, Power, Input Volt, Cable length, Terminal Plug, Connector Definition, Shell Material, Cooling...) are on each product page.

Dimensions







Product views

