


Strip light, 17 series (LS-L17)

LS-L17 series · Bar lights · 26 models

First choice for large-area lighting with high cost performance; surface-mount LEDs and special optical lenses concentrate the divergence angle for high light efficiency and stable mass production.



Features

- First choice for large-area lighting, high cost performance
- Surface-mount LEDs and special optical lenses, concentrated divergence angle, high light efficiency
- Stable mass production
- Size can be customized according to different needs

Applications

- Metal surface inspection
- PCB substrate inspection, electronic component inspection, appearance defect inspection
- Printed material character recognition, mobile phone case positioning, PCB component presence/absence detection

Colours

R	Red
G	Green
B	Blue
W	White
IR	Infrared
UV	Ultraviolet

Common specifications

Voltage	24 V DC (12 V on request)
Number of lamp rows	4
Emitting width (mm)	17
Width (mm)	21.9
Height (mm)	23.9
Minimum splicing unit (mm)	25.2
Mounting	M3 nut placement groove

Ordering code: LS-L<emitting length><emitting width>-<colour> (e.g. LS-L5017-R: 50 x 17 emitting surface)


Models

Model	Length (mm)	Power red (W)	Power white/blue/green (W)	Emitting length (mm)
LS-L2517 colours: R, G, B, W, IR, UV	40.2	1	1.1	25.2
LS-L5017 colours: R, G, B, W, IR, UV	65.4	1.38	1.73	50.6
LS-L7017 colours: R, G, B, W, IR, UV	85	2.1	2.6	70.2
LS-L7517 colours: R, G, B, W, IR, UV	90.6	2.6	2.8	75.6
LS-L9217 colours: R, G, B, W, IR, UV	107.4	2.7	3.2	92.6
LS-L10017 colours: R, G, B, W, IR, UV	115.8	2.76	3.46	100.8
LS-L12517 colours: R, G, B, W, IR, UV	141	3.1	4.6	126
LS-L13517 colours: R, G, B, W, IR, UV	146	3.2	4.8	-
LS-L15017 colours: R, G, B, W, IR, UV	166.2	4.15	5.18	151.2
LS-L17517 colours: R, G, B, W, IR, UV	191.4	6.5	6.5	176.4
LS-L20017 colours: R, G, B, W, IR, UV	216.6	5.53	6.91	201.6
LS-L22517 colours: R, G, B, W, IR, UV	241.8	7.3	7.4	226.8
LS-L25017 colours: R, G, B, W, IR, UV	267	5.76	7.6	252

LS-L27517 colours: R, G, B, W, IR, UV	292.2	8	8.4	277.2
LS-L30017 colours: R, G, B, W, IR, UV	317.4	6.91	8.64	302.4
LS-L37517 colours: R, G, B, W, IR, UV	393	12	13	378
LS-L40017 colours: R, G, B, W, IR, UV	418.2	9.22	11.52	403.2
LS-L45017 colours: R, G, B, W, IR, UV	468.6	12.3	12.9	453.6
LS-L47517 colours: R, G, B, W, IR, UV	493.8	13.3	13.6	478.8
LS-L50017 colours: R, G, B, W, IR, UV	519	9.22	14.4	504
LS-L52517 colours: R, G, B, W, IR, UV	544.2	14.6	15	529.2
LS-L55017 colours: R, G, B, W, IR, UV	569.4	15.3	15.8	554.4
LS-L57517 colours: R, G, B, W, IR, UV	594.6	16	16.5	579.6
LS-L60017 colours: R, G, B, W, IR, UV	619.8	17.97	22.46	604.8
LS-L80017 colours: R, G, B, W, IR, UV	821.4	22.12	27.65	806.4
LS-L17 colours: R, G, B, W, IR, UV				


Dimensions

01




LS-L2517

02




LS-L5017

03




LS-L7017

04




LS-L7517

05




LS-L9217

06




LS-L10017

07




LS-L12517

08




LS-L13517

09




LS-L15017

10




LS-L17517

11




LS-L20017

12




LS-L22517

13




LS-L25017

14




LS-L27517

15




LS-L30017

16




LS-L37517

17




LS-L40017

18




LS-L45017

19




LS-L47517

20




LS-L50017

21




LS-L52517

22




LS-L55017

23




LS-L57517

24




LS-L60017

25



LS-L80017

26



LS-L100017

Product views

