

Linear light source (LSH)

LS-LSH-K series · Line scan lights · 20 models



LED cold light source with no heat radiation, so the temperature of the irradiated product remains almost unchanged and the object is not damaged. Compatible with different UV adhesives, UV inks, UV varnishes and UV paints. Size can be customized.

Features

- LED cold light source, no heat radiation; the irradiated product's temperature stays almost unchanged
- Does not damage the irradiated object
- Compatible with different UV adhesives, UV inks, UV varnishes, UV paints and other materials
- Size can be customized according to different needs

Applications

- Web / sheet inspection (application scenario picture)

Colours

R	Red
G	Green
B	Blue
W	White
IR	Infrared
UV	Ultraviolet

Common specifications

Emitting width (mm)	20
Cooling	Fan (labelled on the drawings)
Width (mm)	50
Height (mm)	82


Ordering code: LS-LSH<emitting surface length><total length>-<R/G/B/W/IR/UV> (example LS-LSH100130-R)

Models

Model	Length (mm)	Emitting length (mm)
LS-LSH100130 colours: R, G, B, W, IR, UV	130	100
LS-LSH200230 colours: R, G, B, W, IR, UV	230	200
LS-LSH250280 colours: R, G, B, W, IR, UV	280	250
LS-LSH300330 colours: R, G, B, W, IR, UV	330	300
LS-LSH350380 colours: R, G, B, W, IR, UV	380	350
LS-LSH400430 colours: R, G, B, W, IR, UV	430	400
LS-LSH500530 colours: R, G, B, W, IR, UV	530	500
LS-LSH600630 colours: R, G, B, W, IR, UV	630	600
LS-LSH700730 colours: R, G, B, W, IR, UV	730	700
LS-LSH720750 colours: R, G, B, W, IR, UV	750	720
LS-LSH750780 colours: R, G, B, W, IR, UV	780	750
LS-LSH800830 colours: R, G, B, W, IR, UV	830	800
LS-LSH850880 colours: R, G, B, W, IR, UV	880	850
LS-LSH900930 colours: R, G, B, W, IR, UV	930	900
LS-LSH950980 colours: R, G, B, W, IR, UV	980	950
LS-LSH10001030 colours: R, G, B, W, IR, UV	1030	1000
LS-LSH10501080 colours: R, G, B, W, IR, UV	1080	1050
LS-LSH11001130 colours: R, G, B, W, IR, UV	1130	1100
LS-LSH11501180 colours: R, G, B, W, IR, UV	1180	1150
LS-LSH12001230 colours: R, G, B, W, IR, UV	1230	1200


Dimensions

01




LS-LSH100130

02




LS-LSH200230

03



LS-LSH250280

04



LS-LSH300330

Product views

